

# WIDEVIEW CONFIDENCE

Individually tailored freeform lenses

**WIDEVIEW CONFIDENCE** freeform progressive lenses represents the ultimate in truly personalised optics using Digital Ray-Path® technology.

Designed bespoke for each wearer, **WIDEVIEW CONFIDENCE** lenses take into account the patients prescription, lifestyle and measurements such as BVD, pantoscopic tilt and dihedral angle.

## MINIMUM FITTING DEPTHS:

14-25mm



## KEY BENEFITS OF WIDEVIEW CONFIDENCE:

- 👁️ A bespoke lens designed around the prescription
- 👁️ Unsurpassed clarity for all frame types
- 👁️ Excellent vision at any distance

## THE RIGHT CHOICE FOR A PATIENT WHO:



- 👁️ Wants a personalised solution with a superior quality lens
- 👁️ Requires comfortable lenses with easy adaptation
- 👁️ Places a large value on aesthetics

Call us on +44 (0) 2087 329 600 or visit [lenses.jaikudo.com](https://lenses.jaikudo.com)

# 1.5 CR39 WIDEVIEW CONFIDENCE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

## TECHNICAL INFORMATION

<b>N</b>	Refractive Index:	1.498
<b>V</b>	Abbe Value:	58
	Density:	1.32
	UV:	355 (Up to 460*)

## IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting height is variable (14-25mm)
- Fitting cross 4mm above HCL
- Available to tint up to 85% absorption

## DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

## LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39				
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓







\* Diameters from 50mm to 80mm - dependent on prescription

# 1.5 CR39 WIDEVIEW CONFIDENCE

Honeycomb with Hydro+

## TECHNICAL INFORMATION

 Refractive Index: 1.498
 Abbe Value: 58
 Density: 1.32
 UV: 400

## IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting height is variable (14-25mm)
- Fitting cross 4mm above HCL

## DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing
- Not suitable for tinting

## LENS PROPERTIES

	Hydro+
 Optimum clarity ✓	
 Scratch resistant ✓	
 Easy clean ✓	
 Anti-reflective ✓	
 Super-hydrophobic ✓	
 Thinner than CR39	
 Freeform technology ✓	
 Filters blue light	





\* Diameters from 50mm to 80mm - dependent on prescription

# 1.53 TRIVEX WIDEVIEW CONFIDENCE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

## TECHNICAL INFORMATION

<b>N</b>	Refractive Index:	1.53
<b>V</b>	Abbe Value:	45
	Density:	1.11
	UV:	400 (Up to 460*)

## IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting height is variable (14-25mm)
- Fitting cross 4mm above HCL

## DISPENSING RECOMMENDATIONS

- Not suitable for tinting

## LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





\* Diameters from 50mm to 80mm - dependent on prescription

# 1.59 POLYCARBONATE WIDEVIEW CONFIDENCE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

## TECHNICAL INFORMATION

<b>N</b>	Refractive Index:	1.59
<b>V</b>	Abbe Value:	31
	Density:	1.20
	UV:	385 (Up to 460*)

## IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting height is variable (14-25mm)
- Fitting cross 4mm above HCL

## DISPENSING RECOMMENDATIONS

- Not suitable for tinting

## LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





\* Diameters from 50mm to 80mm - dependent on prescription

# 1.6 WIDEVIEW CONFIDENCE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

## TECHNICAL INFORMATION


<b>N</b>	Refractive Index:	1.6
<b>V</b>	Abbe Value:	42
	Density:	1.30
	UV:	400 (Up to 460*)

## IMPORTANT INFORMATION

- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting height is variable (14-25mm)
- Fitting cross 4mm above HCL
- Available to tint up to 75% absorption

## LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





\* Diameters from 50mm to 80mm - dependent on prescription

# 1.6 WIDEVIEW CONFIDENCE

Honeycomb with Hydro+

## TECHNICAL INFORMATION

<b>N</b>	Refractive Index:	1.6
<b>V</b>	Abbe Value:	42
	Density:	1.30
	UV:	400



## IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting height is variable (14-25mm)
- Fitting cross 4mm above HCL

## DISPENSING RECOMMENDATIONS

- Not suitable for tinting

## LENS PROPERTIES

		Hydro+
	Optimum clarity	✓
	Scratch resistant	✓
	Easy clean	✓
	Anti-reflective	✓
	Super-hydrophobic	✓
	Thinner than CR39	✓
	Freeform technology	✓
	Filters blue light	





\* Diameters from 50mm to 80mm - dependent on prescription

# 1.67 WIDEVIEW CONFIDENCE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

## TECHNICAL INFORMATION


<b>N</b>	Refractive Index:	1.67
<b>V</b>	Abbe Value:	32
	Density:	1.35
	UV:	400 (Up to 460*)

## IMPORTANT INFORMATION

- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting height is variable (14-25mm)
- Fitting cross 4mm above HCL
- Available to tint up to 75% absorption

## LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





\* Diameters from 50mm to 80mm - dependent on prescription



# 1.67 WIDEVIEW CONFIDENCE

Honeycomb with Hydro+

## TECHNICAL INFORMATION

<b>N</b>	Refractive Index:	1.67
<b>V</b>	Abbe Value:	32
	Density:	1.35
	UV:	400

## IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting height is variable (14-25mm)
- Fitting cross 4mm above HCL

## DISPENSING RECOMMENDATIONS

- Not suitable for tinting

## LENS PROPERTIES

	Hydro+
	Optimum clarity ✓
	Scratch resistant ✓
	Easy clean ✓
	Anti-reflective ✓
	Super-hydrophobic ✓
	Thinner than CR39 ✓
	Freeform technology ✓
	Filters blue light





\* Diameters from 50mm to 80mm - dependent on prescription

# 1.74 WIDEVIEW CONFIDENCE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

## TECHNICAL INFORMATION

<b>N</b>	Refractive Index:	1.74
<b>V</b>	Abbe Value:	33
	Density:	1.46
	UV:	400 (Up to 460*)

## IMPORTANT INFORMATION



- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting height is variable (14-25mm)
- Fitting cross 4mm above HCL
- Available to tint up to 75% absorption

## DISPENSING RECOMMENDATIONS

- Not recommended for rimless glazing

## LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓



\* Diameters from 50mm to 80mm - dependent on prescription



Call us on +44 (0) 2087 329 600 or visit [lenses.jaikudo.com](http://lenses.jaikudo.com)

\* with Blue Shield coating

# 1.5 CR39 WIDEVIEW CONFIDENCE TRANSITIONS SIGNATURE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

## TECHNICAL INFORMATION

<b>N</b>	Refractive Index:	1.498
<b>V</b>	Abbe Value:	58
	Density:	1.32
	UV:	400 (Up to 460*)

## IMPORTANT INFORMATION


- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting height is variable (14-25mm)
- Fitting cross 4mm above HCL

## DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

## LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39				
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





\* Diameters from 50mm to 80mm - dependent on prescription

# 1.5 CR39 WIDEVIEW CONFIDENCE TRANSITIONS XTRACTIVE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

## TECHNICAL INFORMATION

<b>N</b>	Refractive Index:	1.498
<b>V</b>	Abbe Value:	58
	Density:	1.32
	UV:	400 (Up to 460*)






## IMPORTANT INFORMATION


- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting height is variable (14-25mm)
- Fitting cross 4mm above HCL

## DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

## LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39				
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





\* Diameters from 50mm to 80mm - dependent on prescription

# 1.53 TRIVEX WIDEVIEW CONFIDENCE TRANSITIONS SIGNATURE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

## TECHNICAL INFORMATION


<b>N</b>	Refractive Index:	1.53
<b>V</b>	Abbe Value:	45
	Density:	1.11
	UV:	400 (Up to 460*)

## IMPORTANT INFORMATION

- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting height is variable (14-25mm)
- Fitting cross 4mm above HCL

## LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





\* Diameters from 50mm to 80mm - dependent on prescription

# 1.59 POLYCARBONATE WIDEVIEW CONFIDENCE TRANSITIONS SIGNATURE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

## TECHNICAL INFORMATION


<b>N</b>	Refractive Index:	1.59
<b>V</b>	Abbe Value:	31
	Density:	1.20
	UV:	400 (Up to 460*)

## IMPORTANT INFORMATION

- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting height is variable (14-25mm)
- Fitting cross 4mm above HCL

## LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





\* Diameters from 50mm to 80mm - dependent on prescription

# 1.6 WIDEVIEW CONFIDENCE TRANSITIONS SIGNATURE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

## TECHNICAL INFORMATION


<b>N</b>	Refractive Index:	1.6
<b>V</b>	Abbe Value:	42
	Density:	1.30
	UV:	400 (Up to 460*)

## IMPORTANT INFORMATION

- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting height is variable (14-25mm)
- Fitting cross 4mm above HCL

## LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





\* Diameters from 50mm to 80mm - dependent on prescription

# 1.67 WIDEVIEW CONFIDENCE TRANSITIONS SIGNATURE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

## TECHNICAL INFORMATION


<b>N</b>	Refractive Index:	1.67
<b>V</b>	Abbe Value:	32
	Density:	1.35
	UV:	400 (Up to 460*)

## IMPORTANT INFORMATION

- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting height is variable (14-25mm)
- Fitting cross 4mm above HCL

## LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





\* Diameters from 50mm to 80mm - dependent on prescription



# 1.74 WIDEVIEW CONFIDENCE TRANSITIONS SIGNATURE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

## TECHNICAL INFORMATION

<b>N</b>	Refractive Index:	1.74
<b>V</b>	Abbe Value:	33
	Density:	1.46
	UV:	400 (Up to 460*)

## IMPORTANT INFORMATION


- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting height is variable (14-25mm)
- Fitting cross 4mm above HCL

## DISPENSING RECOMMENDATIONS

- Not recommended for rimless

## LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





\* Diameters from 50mm to 80mm - dependent on prescription

# 1.5 CR39 WIDEVIEW CONFIDENCE NUPOLAR

Hardcoated / Infinity XT / Hydro+

Back surface MAR available

## TECHNICAL INFORMATION

<b>N</b>	Refractive Index:	1.498
<b>V</b>	Abbe Value:	58
	Density:	1.32
	UV:	400

## IMPORTANT INFORMATION


- Available in Brown, Grey and Green
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting height is variable (14-25mm)
- Fitting cross 4mm above HCL

## DISPENSING RECOMMENDATIONS

- Not suitable for rimless or supra glazing

## LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+
 Optimum clarity	✓	✓	✓
 Scratch resistant	✓	✓	✓
 Easy clean		✓	✓
 Anti-reflective		✓	✓
 Super-hydrophobic			✓
 Thinner than CR39			
 Freeform technology	✓	✓	✓
 Filters blue light			





\* Diameters from 50mm to 80mm - dependent on prescription

# 1.6 WIDEVIEW CONFIDENCE NUPOLAR

Hardcoated / Infinity XT / Hydro+

## TECHNICAL INFORMATION

<b>N</b>	Refractive Index:	1.6
<b>V</b>	Abbe Value:	42
	Density:	1.30
	UV:	400

## IMPORTANT INFORMATION

- Available in Brown, Grey and Green
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting height is variable (14-25mm)
- Fitting cross 4mm above HCL


## DISPENSING RECOMMENDATIONS

- Not suitable for supra glazing

## LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+
 Optimum clarity	✓	✓	✓
 Scratch resistant	✓	✓	✓
 Easy clean		✓	✓
 Anti-reflective		✓	✓
 Super-hydrophobic			✓
 Thinner than CR39	✓	✓	✓
 Freeform technology	✓	✓	✓
 Filters blue light			

## Back surface MAR available





\* Diameters from 50mm to 80mm - dependent on prescription

# 1.67 WIDEVIEW CONFIDENCE NUPOLAR

Hardcoated / Infinity XT / Hydro+

Back surface MAR available

## TECHNICAL INFORMATION

<b>N</b>	Refractive Index:	1.67
<b>V</b>	Abbe Value:	32
	Density:	1.35
	UV:	400

## IMPORTANT INFORMATION


- Available in Brown, Grey and Green
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting height is variable (14-25mm)
- Fitting cross 4mm above HCL

## DISPENSING RECOMMENDATIONS

- Not suitable for supra glazing

## LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+
 Optimum clarity	✓	✓	✓
 Scratch resistant	✓	✓	✓
 Easy clean		✓	✓
 Anti-reflective		✓	✓
 Super-hydrophobic			✓
 Thinner than CR39	✓	✓	✓
 Freeform technology	✓	✓	✓
 Filters blue light			



\* Diameters from 50mm to 80mm - dependent on prescription