



WIDEVIEW ZENIX

For experienced progressive wearers

WIDEVIEW ZENIX is ingeniously defined yet fully versatile freeform design available in three distinct corridors. It has been designed with the intent of delivering balanced visual performance.

KEY BENEFITS OF WIDEVIEW ZENIX:


- 👁 Sharp vision in every direction
- 👁 Balanced for all distances

THE RIGHT CHOICE FOR A PATIENT WHO:

- 👁 Has worn progressives before
- 👁 Requires good distance and reading vision

MINIMUM FITTING DEPTHS:



Deep - 18mm
Regular - 16mm
Shallow - 14mm



1.5 CR39 WIDEVIEW ZENIX

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.498
V	Abbe Value:	58
	Density:	1.32
	UV:	355 (Up to 460*)

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL
- Available to tint up to 85% absorption

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39				
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓



* Diameters from 50mm to 80mm - dependent on prescription



Call us on +44 (0) 2087 329 600 or visit lenses.jaikudo.com

* with Blue Shield coating

1.5 CR39 WIDEVIEW ZENIX

Honeycomb with Hydro+

TECHNICAL INFORMATION

N	Refractive Index:	1.498
V	Abbe Value:	58
	Density:	1.32
	UV:	400

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing
- Not suitable for tinting

LENS PROPERTIES

		Hydro+
	Optimum clarity	✓
	Scratch resistant	✓
	Easy clean	✓
	Anti-reflective	✓
	Super-hydrophobic	✓
	Thinner than CR39	
	Freeform technology	✓
	Filters blue light	





* Diameters from 50mm to 80mm - dependent on prescription

1.53 TRIVEX WIDEVIEW ZENIX

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.53
V	Abbe Value:	45
	Density:	1.11
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for tinting

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓



* Diameters from 50mm to 80mm - dependent on prescription



Call us on +44 (0) 2087 329 600 or visit lenses.jaikudo.com

* with Blue Shield coating

1.56 WIDEVIEW ZENIX

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.56
V	Abbe Value:	37
	Density:	1.19
	UV:	380 (Up to 460*)

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL
- Available to tint up to 75% absorption

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.59 POLYCARBONATE WIDEVIEW ZENIX

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.59
V	Abbe Value:	31
	Density:	1.20
	UV:	385 (Up to 460*)

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for tinting

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓



* Diameters from 50mm to 80mm - dependent on prescription



Call us on +44 (0) 2087 329 600 or visit lenses.jaikudo.com

* with Blue Shield coating

1.6 WIDEVIEW ZENIX

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION


N	Refractive Index:	1.6
V	Abbe Value:	42
	Density:	1.30
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION

- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
Deep 18mm
Regular 16mm
Shallow 14mm
- Fitting cross 4mm above HCL
- Available to tint up to 75% absorption

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.6 WIDEVIEW ZENIX

Honeycomb with Hydro+

TECHNICAL INFORMATION

N	Refractive Index:	1.6
V	Abbe Value:	42
	Density:	1.30
	UV:	400

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for tinting

LENS PROPERTIES

		Hydro+
	Optimum clarity	✓
	Scratch resistant	✓
	Easy clean	✓
	Anti-reflective	✓
	Super-hydrophobic	✓
	Thinner than CR39	✓
	Freeform technology	✓
	Filters blue light	





* Diameters from 50mm to 80mm - dependent on prescription

1.67 WIDEVIEW ZENIX

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION


N	Refractive Index:	1.67
V	Abbe Value:	32
	Density:	1.35
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION

- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL
- Available to tint up to 75% absorption

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.67 WIDEVIEW ZENIX

Honeycomb with Hydro+

TECHNICAL INFORMATION

N	Refractive Index:	1.67
V	Abbe Value:	32
	Density:	1.35
	UV:	400

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for tinting

LENS PROPERTIES

		Hydro+
	Optimum clarity	✓
	Scratch resistant	✓
	Easy clean	✓
	Anti-reflective	✓
	Super-hydrophobic	✓
	Thinner than CR39	✓
	Freeform technology	✓
	Filters blue light	





* Diameters from 50mm to 80mm - dependent on prescription

1.74 WIDEVIEW ZENIX

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.74
V	Abbe Value:	33
	Density:	1.46
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL
- Available to tint up to 75% absorption

DISPENSING RECOMMENDATIONS

- Not recommended for rimless glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓



* Diameters from 50mm to 80mm - dependent on prescription



Call us on +44 (0) 2087 329 600 or visit lenses.jaikudo.com

* with Blue Shield coating

1.5 CR39 WIDEVIEW ZENIX TRANSITIONS SIGNATURE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.498
V	Abbe Value:	58
	Density:	1.32
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION


- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39				
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.5 CR39 WIDEVIEW ZENIX TRANSITIONS XTRACTIVE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.498
V	Abbe Value:	58
	Density:	1.32
	UV:	400 (Up to 460*)



IMPORTANT INFORMATION


- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39				
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.53 TRIVEX WIDEVIEW ZENIX TRANSITIONS SIGNATURE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION


N	Refractive Index:	1.53
V	Abbe Value:	45
	Density:	1.11
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION

- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.56 PHOTOCROMIC WIDEVIEW ZENIX

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.56
V	Abbe Value:	37
	Density:	1.19
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION


- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.59 POLYCARBONATE WIDEVIEW ZENIX TRANSITIONS SIGNATURE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION


N	Refractive Index:	1.59
V	Abbe Value:	31
	Density:	1.20
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION

- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓



* Diameters from 50mm to 80mm - dependent on prescription



Call us on +44 (0) 2087 329 600 or visit lenses.jaikudo.com

* with Blue Shield coating

1.6 WIDEVIEW ZENIX TRANSITIONS SIGNATURE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION


N	Refractive Index:	1.6
V	Abbe Value:	42
	Density:	1.30
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION

- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.67 WIDEVIEW ZENIX TRANSITIONS SIGNATURE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION


N	Refractive Index:	1.67
V	Abbe Value:	32
	Density:	1.35
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION

- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.5 CR39 WIDEVIEW ZENIX NUPOLAR

Hardcoated / Infinity XT / Hydro+

Back surface MAR available

TECHNICAL INFORMATION

N	Refractive Index:	1.498
V	Abbe Value:	58
	Density:	1.32
	UV:	400

IMPORTANT INFORMATION


- Available in Brown, Grey and Green
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for rimless or supra glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+
 Optimum clarity	✓	✓	✓
 Scratch resistant	✓	✓	✓
 Easy clean		✓	✓
 Anti-reflective		✓	✓
 Super-hydrophobic			✓
 Thinner than CR39			
 Freeform technology	✓	✓	✓
 Filters blue light			





* Diameters from 50mm to 80mm - dependent on prescription

1.6 WIDEVIEW ZENIX NUPOLAR

Hardcoated / Infinity XT / Hydro+

Back surface MAR available

TECHNICAL INFORMATION

N	Refractive Index:	1.6
V	Abbe Value:	42
	Density:	1.30
	UV:	400

IMPORTANT INFORMATION


- Available in Brown, Grey and Green
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for supra glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+
 Optimum clarity	✓	✓	✓
 Scratch resistant	✓	✓	✓
 Easy clean		✓	✓
 Anti-reflective		✓	✓
 Super-hydrophobic			✓
 Thinner than CR39	✓	✓	✓
 Freeform technology	✓	✓	✓
 Filters blue light			





* Diameters from 50mm to 80mm - dependent on prescription

1.67 WIDEVIEW ZENIX NUPOLAR

Hardcoated / Infinity XT / Hydro+

Back surface MAR available

TECHNICAL INFORMATION

N	Refractive Index:	1.67
V	Abbe Value:	32
	Density:	1.35
	UV:	400

IMPORTANT INFORMATION


- Available in Brown, Grey and Green
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for supra glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+
 Optimum clarity	✓	✓	✓
 Scratch resistant	✓	✓	✓
 Easy clean		✓	✓
 Anti-reflective		✓	✓
 Super-hydrophobic			✓
 Thinner than CR39	✓	✓	✓
 Freeform technology	✓	✓	✓
 Filters blue light			



* Diameters from 50mm to 80mm - dependent on prescription