

WIDEVIEW EASY

For emerging presbyopes

The **WIDEVIEW EASY** lens is a soft freeform design and available in three distinct corridors. **WIDEVIEW EASY** has been specifically designed to address common problems for patients new to progressive lenses.

KEY BENEFITS OF WIDEVIEW EASY:


- 👁 Ultra sharp vision with no effort
- 👁 Natural vision with easy adaption
- 👁 Comfortable transition between visual zones

THE RIGHT CHOICE FOR A PATIENT WHO:

- 👁 Hasn't tried progressive lenses before
- 👁 Tried progressives but had difficulty with them
- 👁 Needs good intermediate vision

MINIMUM FITTING DEPTHS:



Deep - 19mm
Regular - 17mm
Shallow - 15mm



1.5 CR39 WIDEVIEW EASY

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.498
V	Abbe Value:	58
	Density:	1.32
	UV:	355 (Up to 460*)

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 19mm
 - Regular 17mm
 - Shallow 15mm
- Fitting cross 4mm above HCL
- Available to tint up to 85% absorption

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39				
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓



* Diameters from 50mm to 80mm - dependent on prescription





Call us on +44 (0) 2087 329 600 or visit lenses.jaikudo.com

* with Blue Shield coating

1.5 CR39 WIDEVIEW EASY

Honeycomb with Hydro+

TECHNICAL INFORMATION

 Refractive Index: 1.498
 Abbe Value: 58
 Density: 1.32
 UV: 400

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 19mm
 - Regular 17mm
 - Shallow 15mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing
- Not suitable for tinting

LENS PROPERTIES

	Hydro+
 Optimum clarity ✓	
 Scratch resistant ✓	
 Easy clean ✓	
 Anti-reflective ✓	
 Super-hydrophobic ✓	
 Thinner than CR39	
 Freeform technology ✓	
 Filters blue light	





* Diameters from 50mm to 80mm - dependent on prescription

1.53 TRIVEX WIDEVIEW EASY

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.53
V	Abbe Value:	45
	Density:	1.11
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 19mm
 - Regular 17mm
 - Shallow 15mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for tinting

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.56 WIDEVIEW EASY

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.56
V	Abbe Value:	37
	Density:	1.19
	UV:	380 (Up to 460*)

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 19mm
 - Regular 17mm
 - Shallow 15mm
- Fitting cross 4mm above HCL
- Available to tint up to 75% absorption

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.59 POLYCARBONATE WIDEVIEW EASY

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.59
V	Abbe Value:	31
	Density:	1.20
	UV:	385 (Up to 460*)

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 19mm
 - Regular 17mm
 - Shallow 15mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for tinting

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.6 WIDEVIEW EASY

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION


N	Refractive Index:	1.6
V	Abbe Value:	42
	Density:	1.30
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION

- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
Deep 19mm
Regular 17mm
Shallow 15mm
- Fitting cross 4mm above HCL
- Available to tint up to 75% absorption

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.6 WIDEVIEW EASY

Honeycomb with Hydro+

TECHNICAL INFORMATION

N	Refractive Index:	1.6
V	Abbe Value:	42
	Density:	1.30
	UV:	400

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 19mm
 - Regular 17mm
 - Shallow 15mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for tinting

LENS PROPERTIES

		Hydro+
	Optimum clarity	✓
	Scratch resistant	✓
	Easy clean	✓
	Anti-reflective	✓
	Super-hydrophobic	✓
	Thinner than CR39	✓
	Freeform technology	✓
	Filters blue light	





* Diameters from 50mm to 80mm - dependent on prescription

1.67 WIDEVIEW EASY

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION


N	Refractive Index:	1.67
V	Abbe Value:	32
	Density:	1.35
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION

- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
Deep 19mm
Regular 17mm
Shallow 15mm
- Fitting cross 4mm above HCL
- Available to tint up to 75% absorption

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.67 WIDEVIEW EASY

Honeycomb with Hydro+

TECHNICAL INFORMATION

N	Refractive Index:	1.67
V	Abbe Value:	32
	Density:	1.35
	UV:	400

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 19mm
 - Regular 17mm
 - Shallow 15mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for tinting

LENS PROPERTIES

	Hydro+
	Optimum clarity ✓
	Scratch resistant ✓
	Easy clean ✓
	Anti-reflective ✓
	Super-hydrophobic ✓
	Thinner than CR39 ✓
	Freeform technology ✓
	Filters blue light





* Diameters from 50mm to 80mm - dependent on prescription

1.74 WIDEVIEW EASY

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.74
V	Abbe Value:	33
	Density:	1.46
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 19mm
 - Regular 17mm
 - Shallow 15mm
- Fitting cross 4mm above HCL
- Available to tint up to 75% absorption

DISPENSING RECOMMENDATIONS

- Not recommended for rimless glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓



* Diameters from 50mm to 80mm - dependent on prescription



Call us on +44 (0) 2087 329 600 or visit lenses.jaikudo.com

* with Blue Shield coating

1.5 CR39 WIDEVIEW EASY TRANSITIONS SIGNATURE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.498
V	Abbe Value:	58
	Density:	1.32
	UV:	400 (Up to 460*)


IMPORTANT INFORMATION


- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 19mm
 - Regular 17mm
 - Shallow 15mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39				
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓



* Diameters from 50mm to 80mm - dependent on prescription



Call us on +44 (0) 2087 329 600 or visit lenses.jaikudo.com

* with Blue Shield coating

1.5 CR39 WIDEVIEW EASY TRANSITIONS XTRACTIVE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.498
V	Abbe Value:	58
	Density:	1.32
	UV:	400 (Up to 460*)







IMPORTANT INFORMATION


- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 19mm
 - Regular 17mm
 - Shallow 15mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39				
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.53 TRIVEX WIDEVIEW EASY TRANSITIONS SIGNATURE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION


N	Refractive Index:	1.53
V	Abbe Value:	45
	Density:	1.11
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION

- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 19mm
 - Regular 17mm
 - Shallow 15mm
- Fitting cross 4mm above HCL

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.56 PHOTOCROMIC WIDEVIEW EASY

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.56
V	Abbe Value:	37
	Density:	1.19
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION


- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 19mm
 - Regular 17mm
 - Shallow 15mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.59 POLYCARBONATE WIDEVIEW EASY TRANSITIONS SIGNATURE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION


N	Refractive Index:	1.59
V	Abbe Value:	31
	Density:	1.20
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION

- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 19mm
 - Regular 17mm
 - Shallow 15mm
- Fitting cross 4mm above HCL

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.6 WIDEVIEW EASY TRANSITIONS SIGNATURE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION


N	Refractive Index:	1.6
V	Abbe Value:	42
	Density:	1.30
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION

- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 19mm
 - Regular 17mm
 - Shallow 15mm
- Fitting cross 4mm above HCL

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.67 WIDEVIEW EASY TRANSITIONS SIGNATURE

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION


N	Refractive Index:	1.67
V	Abbe Value:	32
	Density:	1.35
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION

- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 19mm
 - Regular 17mm
 - Shallow 15mm
- Fitting cross 4mm above HCL

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.5 CR39 WIDEVIEW EASY NUPOLAR

Hardcoated / Infinity XT / Hydro+

Back surface MAR available

TECHNICAL INFORMATION

N	Refractive Index:	1.498
V	Abbe Value:	58
	Density:	1.32
	UV:	400

IMPORTANT INFORMATION


- Available in Brown, Grey and Green
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 19mm
 - Regular 17mm
 - Shallow 15mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for rimless or supra glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+
 Optimum clarity	✓	✓	✓
 Scratch resistant	✓	✓	✓
 Easy clean		✓	✓
 Anti-reflective		✓	✓
 Super-hydrophobic			✓
 Thinner than CR39			
 Freeform technology	✓	✓	✓
 Filters blue light			





* Diameters from 50mm to 80mm - dependent on prescription

1.6 WIDEVIEW EASY NUPOLAR

Hardcoated / Infinity XT / Hydro+

Back surface MAR available

TECHNICAL INFORMATION

N	Refractive Index:	1.6
V	Abbe Value:	42
	Density:	1.30
	UV:	400

IMPORTANT INFORMATION


- Available in Brown, Grey and Green
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 19mm
 - Regular 17mm
 - Shallow 15mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for supra glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+
 Optimum clarity	✓	✓	✓
 Scratch resistant	✓	✓	✓
 Easy clean		✓	✓
 Anti-reflective		✓	✓
 Super-hydrophobic			✓
 Thinner than CR39	✓	✓	✓
 Freeform technology	✓	✓	✓
 Filters blue light			





* Diameters from 50mm to 80mm - dependent on prescription

1.67 WIDEVIEW EASY NUPOLAR

Hardcoated / Infinity XT / Hydro+

Back surface MAR available

TECHNICAL INFORMATION

N	Refractive Index:	1.67
V	Abbe Value:	32
	Density:	1.35
	UV:	400

IMPORTANT INFORMATION


- Available in Brown, Grey and Green
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 19mm
 - Regular 17mm
 - Shallow 15mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for supra glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+
 Optimum clarity	✓	✓	✓
 Scratch resistant	✓	✓	✓
 Easy clean		✓	✓
 Anti-reflective		✓	✓
 Super-hydrophobic			✓
 Thinner than CR39	✓	✓	✓
 Freeform technology	✓	✓	✓
 Filters blue light			



* Diameters from 50mm to 80mm - dependent on prescription