


WIDEVIEW ENTRY

Affordable introductory progressive lenses

WIDEVIEW ENTRY offers all the benefits of freeform technology in an entry-level progressive lens. **WIDEVIEW ENTRY** lens is available in three corridor lengths.

MINIMUM FITTING DEPTHS:

Deep - 18mm
Regular - 16mm
Shallow - 14mm



KEY BENEFITS OF WIDEVIEW ENTRY:

- 👁 Greater visual acuity
- 👁 Improved comfort and easy adaptation



THE RIGHT CHOICE FOR A PATIENT WHO:

- 👁 Is looking for a more affordable lens
- 👁 Hasn't worn progressives before

1.5 CR39 WIDEVIEW ENTRY

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.498
V	Abbe Value:	58
	Density:	1.32
	UV:	355 (Up to 460*)

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
Deep 18mm
Regular 16mm
Shallow 14mm
- Fitting cross 4mm above HCL
- Available to tint up to 85% absorption

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39				
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.59 POLYCARBONATE WIDEVIEW ENTRY

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.59
V	Abbe Value:	31
	Density:	1.20
	UV:	385 (Up to 460*)

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for tinting

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓



* Diameters from 50mm to 80mm - dependent on prescription



Call us on +44 (0) 2087 329 600 or visit lenses.jaikudo.com

* with Blue Shield coating

1.6 WIDEVIEW ENTRY

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION


N	Refractive Index:	1.6
V	Abbe Value:	42
	Density:	1.30
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION

- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL
- Available to tint up to 75% absorption

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.56 PHOTOCROMIC WIDEVIEW ENTRY

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.56
V	Abbe Value:	37
	Density:	1.19
	UV:	400 (Up to 460*)

IMPORTANT INFORMATION


- Available in Brown and Grey
- Up to 4.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
 - Deep 18mm
 - Regular 16mm
 - Shallow 14mm
- Fitting cross 4mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓
 Scratch resistant	✓	✓	✓	✓
 Easy clean		✓	✓	✓
 Anti-reflective		✓	✓	✓
 Super-hydrophobic			✓	✓
 Thinner than CR39	✓	✓	✓	✓
 Freeform technology	✓	✓	✓	✓
 Filters blue light				✓





* Diameters from 50mm to 80mm - dependent on prescription

1.5 CR39 PROTEK VARIFOCAL

Uncoated / Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.498
V	Abbe Value:	58
	Density:	1.32
	UV:	355 (Up to 460*)



IMPORTANT INFORMATION


- Up to 3.00D of prism available
- Additions of +0.75 to +3.50 available
- Minimum fitting heights:
Regular 18mm
Shallow 16mm
- Fitting cross 4mm above HCL
- Available to tint up to 85% absorption

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

	Uncoated	Hardcoated	Infinity XT	Hydro+	Blue Shield
 Optimum clarity	✓	✓	✓	✓	✓
 Scratch resistant		✓	✓	✓	✓
 Easy clean			✓	✓	✓
 Anti-reflective			✓	✓	✓
 Super-hydrophobic				✓	✓
 Thinner than CR39					
 Freeform technology					
 Filters blue light					✓



* Diameters from 50mm to 80mm - dependent on prescription

Call us on +44 (0) 2087 329 600 or visit lenses.jaikudo.com

* with Blue Shield coating