

A woman with long blonde hair and black-rimmed glasses is sitting at a wooden table in a cafe. She is wearing a white and blue striped sweater and blue jeans. She is looking at a silver laptop on the table. The background is a stone wall and a wooden chair with a red bag on it.

SINGLE VISION STOCK LENSES

A wide variety of lenses to suit all prescriptions and wearer needs

We have more than a million lenses in stock within our warehouse in Liverpool, UK including:

- 👁️ 1.5 lenses up to -6 cyl
- 👁️ 1.67 Aspheric MR7 up to -4 cyl
- 👁️ 1.74 Aspheric up to -2 cyl
- 👁️ Honeycomb up to -2 cyl
- 👁️ Blue Shield up to -2 cyl





Call us on +44 (0) 2087 329 600 or visit lenses.jaikudo.com


1.5 CR39

Uncoated / Hardcoated / Infinity XT

55mm / 60mm

TECHNICAL INFORMATION

 Refractive Index:	1.498
 Abbe Value:	58
 Density:	1.139
 UV:	320-340



IMPORTANT INFORMATION

- Some prescriptions may be too thin to groove for supra frames

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES





	Uncoated	Hardcoated	Infinity XT
 Optimum clarity	✓	✓	✓
 Scratch resistant		✓	✓
 Easy clean			✓
 Anti-reflective			✓
 Super-hydrophobic			
 Thinner than CR39			
 Freeform technology			
 Filters blue light			

1.5 CR39

Uncoated / Hardcoated / Infinity XT

65mm

TECHNICAL INFORMATION

 Refractive Index: 1.498
 Abbe Value: 58
 Density: 1.139
 UV: 320-340

IMPORTANT INFORMATION


- Some prescriptions may be too thin to groove for supra frames

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

	Uncoated	Hardcoated	Infinity XT
 Optimum clarity	✓	✓	✓
 Scratch resistant		✓	✓
 Easy clean			✓
 Anti-reflective			✓
 Super-hydrophobic			
 Thinner than CR39			
 Freeform technology			
 Filters blue light			






1.5 CR39

Hydro+

55mm / 60mm

TECHNICAL INFORMATION

N	Refractive Index:	1.498
V	Abbe Value:	58
	Density:	1.139
	UV:	320-340



IMPORTANT INFORMATION

- Some prescriptions may be too thin to groove for supra frames

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES





	Hydro+
 Optimum clarity	✓
 Scratch resistant	✓
 Easy clean	✓
 Anti-reflective	✓
 Super-hydrophobic	✓
 Thinner than CR39	
 Freeform technology	
 Filters blue light	

1.5 CR39

Hydro+

65mm / 70mm / 75mm

TECHNICAL INFORMATION

 Refractive Index: 1.498
 Abbe Value: 58
 Density: 1.139
 UV: 320-340

IMPORTANT INFORMATION


- Some prescriptions may be too thin to groove for supra frames

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

	Hydro+
 Optimum clarity <input checked="" type="checkbox"/>	
 Scratch resistant <input checked="" type="checkbox"/>	
 Easy clean <input checked="" type="checkbox"/>	
 Anti-reflective <input checked="" type="checkbox"/>	
 Super-hydrophobic <input checked="" type="checkbox"/>	
 Thinner than CR39	
 Freeform technology	
 Filters blue light	





1.5 CR39

Uncoated / Hardcoated / Infinity XT

70mm

TECHNICAL INFORMATION

N	Refractive Index:	1.498
V	Abbe Value:	58
	Density:	1.139
	UV:	320-340

IMPORTANT INFORMATION


- Some prescriptions may be too thin to groove for supra frames

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

	Uncoated	Hardcoated	Infinity XT
 Optimum clarity	✓	✓	✓
 Scratch resistant		✓	✓
 Easy clean			✓
 Anti-reflective			✓
 Super-hydrophobic			
 Thinner than CR39			
 Freeform technology			
 Filters blue light			





1.5 CR39

Hardcoated Tintable

65mm / 70mm

TECHNICAL INFORMATION

N	Refractive Index:	1.498
V	Abbe Value:	58
	Density:	1.32
	UV:	370

IMPORTANT INFORMATION






- Some prescriptions may be too thin to groove for supra frames


DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

Hardcoated

	Optimum clarity	✓
	Scratch resistant	✓
	Easy clean	
	Anti-reflective	
	Super-hydrophobic	
	Thinner than CR39	
	Freeform technology	
	Filters blue light	








1.5 CR39

Uncoated

75mm

TECHNICAL INFORMATION

 Refractive Index: 1.498
 Abbe Value: 58
 Density: 1.32
 UV: 370



IMPORTANT INFORMATION

- Some prescriptions may be too thin to groove for supra frames

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

Uncoated





 Optimum clarity <input checked="" type="checkbox"/>
 Scratch resistant
 Easy clean
 Anti-reflective
 Super-hydrophobic
 Thinner than CR39
 Freeform technology
 Filters blue light

1.56 ULTRATHIN

Hardcoated / Infinity XT

65mm / 72mm

TECHNICAL INFORMATION

 Refractive Index: 1.56
 Abbe Value: 38
 Density: 1.1
 UV: 360-380









IMPORTANT INFORMATION


- Some prescriptions may be too thin to groove for supra frames

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

	Hardcoated	Infinity XT
 Optimum clarity	✓	✓
 Scratch resistant	✓	✓
 Easy clean		✓
 Anti-reflective		✓
 Super-hydrophobic		
 Thinner than CR39		✓
 Freeform technology		
 Filters blue light		







1.59 POLYCARBONATE

Hardcoated / Infinity XT

65mm / 70mm

TECHNICAL INFORMATION

 Refractive Index: 1.59
 Abbe Value: 32
 Density: 1.2
 UV: 400









IMPORTANT INFORMATION


- Superior strength and protection
- Suitable for rimless and supra glazing

DISPENSING RECOMMENDATIONS

- Not suitable for tinting

LENS PROPERTIES

	Hardcoated	Infinity XT
 Optimum clarity	✓	✓
 Scratch resistant	✓	✓
 Easy clean		✓
 Anti-reflective		✓
 Super-hydrophobic		
 Thinner than CR39	✓	✓
 Freeform technology		
 Filters blue light		







1.61 ACRYLIC

Infinity XT

65mm / 70mm / 75mm

TECHNICAL INFORMATION


 Refractive Index: 1.61
 Abbe Value: 39
 Density: 1.29
 UV: 400


DISPENSING RECOMMENDATIONS

- Not suitable for rimless or supra glazing

LENS PROPERTIES

Infinity XT

 Optimum clarity <input checked="" type="checkbox"/>
 Scratch resistant <input checked="" type="checkbox"/>
 Easy clean <input checked="" type="checkbox"/>
 Anti-reflective <input checked="" type="checkbox"/>
 Super-hydrophobic
 Thinner than CR39 <input checked="" type="checkbox"/>
 Freeform technology
 Filters blue light





1.61 ASPHERIC MR8

Infinity XT

60mm / 65mm / 70mm / 75mm


TECHNICAL INFORMATION

N	Refractive Index:	1.61
V	Abbe Value:	41
	Density:	1.3
	UV:	400

LENS PROPERTIES

Infinity XT

	Optimum clarity	✓
	Scratch resistant	✓
	Easy clean	✓
	Anti-reflective	✓
	Super-hydrophobic	
	Thinner than CR39	✓
	Freeform technology	
	Filters blue light	







1.61 ASPHERIC MR8

Hydro+


65mm / 70mm / 75mm

TECHNICAL INFORMATION

 Refractive Index: 1.61
 Abbe Value: 41
 Density: 1.3
 UV: 400

LENS PROPERTIES

		Hydro+
 Optimum clarity	✓	
 Scratch resistant	✓	
 Easy clean	✓	
 Anti-reflective	✓	
 Super-hydrophobic	✓	
 Thinner than CR39	✓	
 Freeform technology		
 Filters blue light		







1.61 SPHERIC MR8

Hardcoated

65mm / 70mm / 75mm


TECHNICAL INFORMATION

 Refractive Index: 1.61
 Abbe Value: 42
 Density: 1.3
 UV: 400

LENS PROPERTIES

Hardcoated

 Optimum clarity <input checked="" type="checkbox"/>
 Scratch resistant <input checked="" type="checkbox"/>
 Easy clean
 Anti-reflective
 Super-hydrophobic
 Thinner than CR39 <input checked="" type="checkbox"/>
 Freeform technology
 Filters blue light







1.61 SPHERIC MR8

Infinity XT


65mm / 70mm / 75mm


TECHNICAL INFORMATION

 Refractive Index: 1.61
 Abbe Value: 42
 Density: 1.3
 UV: 400

LENS PROPERTIES

Infinity XT

 Optimum clarity <input checked="" type="checkbox"/>
 Scratch resistant <input checked="" type="checkbox"/>
 Easy clean <input checked="" type="checkbox"/>
 Anti-reflective <input checked="" type="checkbox"/>
 Super-hydrophobic
 Thinner than CR39 <input checked="" type="checkbox"/>
 Freeform technology
 Filters blue light







1.61 SPHERIC MR8

Hydro+


65mm / 75mm

TECHNICAL INFORMATION

 Refractive Index: 1.61
 Abbe Value: 42
 Density: 1.3
 UV: 400

LENS PROPERTIES

		Hydro+
 Optimum clarity	✓	
 Scratch resistant	✓	
 Easy clean	✓	
 Anti-reflective	✓	
 Super-hydrophobic	✓	
 Thinner than CR39	✓	
 Freeform technology		
 Filters blue light		







1.67 ASPHERIC MR7









Infinity XT / Hydro+


65mm / 70mm / 75mm

TECHNICAL INFORMATION

 Refractive Index: 1.67
 Abbe Value: 31
 Density: 1.35
 UV: 400

LENS PROPERTIES

	Infinity XT	Hydro+
 Optimum clarity	✓	✓
 Scratch resistant	✓	✓
 Easy clean	✓	✓
 Anti-reflective	✓	✓
 Super-hydrophobic		✓
 Thinner than CR39	✓	✓
 Freeform technology		
 Filters blue light		







1.74 ASPHERIC MR74

Infinity XT / Hydro+

70mm / 75mm









TECHNICAL INFORMATION


 Refractive Index: 1.74
 Abbe Value: 33
 Density: 1.46
 UV: 400

DISPENSING RECOMMENDATIONS

- Not recommended for rimless glazing

LENS PROPERTIES

	Infinity XT	Hydro+
 Optimum clarity	✓	✓
 Scratch resistant	✓	✓
 Easy clean	✓	✓
 Anti-reflective	✓	✓
 Super-hydrophobic		✓
 Thinner than CR39	✓	✓
 Freeform technology		
 Filters blue light		







1.5 PRE-TINTED

Uncoated / Back Surface Infinity XT

65mm / 70mm

TECHNICAL INFORMATION

 Refractive Index: 1.498
 Abbe Value: 58
 Density: 1.32
 UV: 400









IMPORTANT INFORMATION


- Grey 85% ABS
- Brown 85% ABS
- Green 85% ABS
- Some prescriptions may be too thin to groove for supra frames

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

	Uncoated	Infinity XT
 Optimum clarity	✓	✓
 Scratch resistant		✓
 Easy clean		✓
 Anti-reflective		✓
 Super-hydrophobic		
 Thinner than CR39		
 Freeform technology		
 Filters blue light		







1.6 MR8 PRE-TINTED

Back Surface Infinity XT

65mm / 75mm

TECHNICAL INFORMATION

 Refractive Index: 1.61
 Abbe Value: 41
 Density: 1.3
 UV: 400


IMPORTANT INFORMATION

- Grey 85% ABS
- Brown 85% ABS
- Green 85% ABS

LENS PROPERTIES

Infinity XT

 Optimum clarity ✓
 Scratch resistant ✓
 Easy clean ✓
 Anti-reflective ✓
 Super-hydrophobic
 Thinner than CR39 ✓
 Freeform technology
 Filters blue light







1.5 TRANSITIONS SIGNATURE

Hardcoated / Hydro+


65mm / 70mm

TECHNICAL INFORMATION

 Refractive Index: 1.498
 Abbe Value: 59
 Density: 1.32
 UV: 400

IMPORTANT INFORMATION









- Darkest Absorption:
Grey 79% ABS
Brown 85% ABS



DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES





	Hardcoated	Hydro+
 Optimum clarity	✓	✓
 Scratch resistant	✓	✓
 Easy clean		✓
 Anti-reflective		✓
 Super-hydrophobic		✓
 Thinner than CR39		
 Freeform technology		
 Filters blue light		

1.5 TRANSITIONS XTRACTIVE

Hardcoated

65mm / 70mm

TECHNICAL INFORMATION

 Refractive Index: 1.498
 Abbe Value: 56
 Density: 1.27
 UV: 400

IMPORTANT INFORMATION








- Some prescriptions may be too thin to groove for supra frames
- Grey - Darkest absorption 90%, inside a car 50%, indoors 17%


DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

Hardcoated

 Optimum clarity 
 Scratch resistant 
 Easy clean
 Anti-reflective
 Super-hydrophobic
 Thinner than CR39
 Freeform technology
 Filters blue light







1.56 PHOTOCROMIC

Infinity XT

65mm / 70mm

TECHNICAL INFORMATION

 Refractive Index: 1.56
 Abbe Value: 36
 Density: 1.27
 UV: 400

IMPORTANT INFORMATION









- Available in Grey and Brown


DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

Infinity XT

 Optimum clarity ✓
 Scratch resistant ✓
 Easy clean ✓
 Anti-reflective ✓
 Super-hydrophobic
 Thinner than CR39 ✓
 Freeform technology
 Filters blue light







1.6 TRANSITIONS SIGNATURE

Hydro+

65mm / 75mm



TECHNICAL INFORMATION


 Refractive Index: 1.61
 Abbe Value: 42
 Density: 1.30
 UV: 400

IMPORTANT INFORMATION

- Darkest Absorption:
Grey 79% ABS
Brown 85% ABS

LENS PROPERTIES

		Hydro+
 Optimum clarity	✓	
 Scratch resistant	✓	
 Easy clean	✓	
 Anti-reflective	✓	
 Super-hydrophobic	✓	
 Thinner than CR39	✓	
 Freeform technology		
 Filters blue light		








1.67 TRANSITIONS SIGNATURE

Hydro+

70mm / 75mm / 80mm

TECHNICAL INFORMATION

 Refractive Index: 1.67
 Abbe Value: 31
 Density: 1.3
 UV: 400



IMPORTANT INFORMATION

- Darkest Absorption:
Grey 79% ABS
Brown 85% ABS

LENS PROPERTIES





	Hydro+
 Optimum clarity	✓
 Scratch resistant	✓
 Easy clean	✓
 Anti-reflective	✓
 Super-hydrophobic	✓
 Thinner than CR39	✓
 Freeform technology	
 Filters blue light	

1.6 BLUE SHIELD

Hydro+


65mm / 75mm

TECHNICAL INFORMATION

 Refractive Index: 1.61
 Abbe Value: 42
 Density: 1.3
 UV: 420

LENS PROPERTIES

	Hydro+
 Optimum clarity <input checked="" type="checkbox"/>	
 Scratch resistant <input checked="" type="checkbox"/>	
 Easy clean <input checked="" type="checkbox"/>	
 Anti-reflective <input checked="" type="checkbox"/>	
 Super-hydrophobic <input checked="" type="checkbox"/>	
 Thinner than CR39 <input checked="" type="checkbox"/>	
 Freeform technology	
 Filters blue light <input checked="" type="checkbox"/>	







1.67 BLUE SHIELD

Hydro+


65mm / 75mm

TECHNICAL INFORMATION

 Refractive Index: 1.67
 Abbe Value: 32
 Density: 1.35
 UV: 420

LENS PROPERTIES

	Hydro+
 Optimum clarity <input checked="" type="checkbox"/>	
 Scratch resistant <input checked="" type="checkbox"/>	
 Easy clean <input checked="" type="checkbox"/>	
 Anti-reflective <input checked="" type="checkbox"/>	
 Super-hydrophobic <input checked="" type="checkbox"/>	
 Thinner than CR39 <input checked="" type="checkbox"/>	
 Freeform technology	
 Filters blue light <input checked="" type="checkbox"/>	





1.5 CR39 HONEYCOMB

Hydro+

65mm / 75mm

TECHNICAL INFORMATION

N	Refractive Index:	1.498
V	Abbe Value:	58
	Density:	1.32
	UV:	400

IMPORTANT INFORMATION


- Some prescriptions may be too thin to groove for supra frames

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing

LENS PROPERTIES

		Hydro+
	Optimum clarity	✓
	Scratch resistant	✓
	Easy clean	✓
	Anti-reflective	✓
	Super-hydrophobic	✓
	Thinner than CR39	
	Freeform technology	
	Filters blue light	







1.6 ASPHERIC HONEYCOMB

Hydro+


65mm / 75mm

TECHNICAL INFORMATION

 Refractive Index: 1.61
 Abbe Value: 42
 Density: 1.3
 UV: 400

LENS PROPERTIES

	Hydro+
 Optimum clarity <input checked="" type="checkbox"/>	
 Scratch resistant <input checked="" type="checkbox"/>	
 Easy clean <input checked="" type="checkbox"/>	
 Anti-reflective <input checked="" type="checkbox"/>	
 Super-hydrophobic <input checked="" type="checkbox"/>	
 Thinner than CR39 <input checked="" type="checkbox"/>	
 Freeform technology	
 Filters blue light	







1.67 ASPHERIC HONEYCOMB

Hydro+

65mm / 75mm

TECHNICAL INFORMATION

 Refractive Index: 1.67
 Abbe Value: 32
 Density: 1.35
 UV: 400

LENS PROPERTIES

	Hydro+
 Optimum clarity <input checked="" type="checkbox"/>	
 Scratch resistant <input checked="" type="checkbox"/>	
 Easy clean <input checked="" type="checkbox"/>	
 Anti-reflective <input checked="" type="checkbox"/>	
 Super-hydrophobic <input checked="" type="checkbox"/>	
 Thinner than CR39 <input checked="" type="checkbox"/>	
 Freeform technology	
 Filters blue light	

