WIDEVIEW OCCUPATIONAL

Perfect visual balance in the workplace

Different from progressive lenses, **WIDEVIEW OCCUPATIONAL** lenses are an ideal solution for professionals requiring intensive use of the near and intermediate vision zones. By reducing the overall distance range to cover only near and intermediate zones, the visual fields are greatly expanded covering the entire lens surface and ensuring wider optimised areas of use. In addition, the soft design promotes easy adaptation and patient comfort.

MINIMUM FITTING DEPTH:

Deep: 18mm Shallow: 14mm


DISPENSING INFORMATION:

To order our **WIDEVIEW OCCUPATIONAL** lenses, please supply the distance prescription and the near pupil distance. The fitting cross is positioned onto the pupil centre.



DEGRESSION CHART

Additions	MY DESKTOP 1.3m	MY OFFICE 2m	MY MEETING 4m
0.75	-	-	0.5
1	-	0.5	0.75
1.25	0.5	0.75	1
1.5	0.75	1	1.25
1.75	1	1.25	1.5
2	1.25	1.5	1.75
2.25	1.5	1.75	2
2.5	1.75	2	2.25
2.75	2	2.25	2.5
3	2.25	2.5	2.75
3.25	2.5	2.75	-
3.5	2.75	-	-



1.5 WIDEVIEW OCCUPATIONAL

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.498
V	Abbe Value:	58
	Density:	1.32
	UV:	355 (Up to 460*)


IMPORTANT INFORMATION

- Up to 4.00D of prism available
- Minimum fitting heights: Regular 18mm Short 14mm
- Fitting cross 2mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing
- Not suitable for driving

LENS	S PROPERTIES	Hardcoated	Infinity XT	Hydro+	Blue Shield
B C D E F	Optimum clarity	√	√	✓	√
	Scratch resistant	√	√	✓	✓
	Easy clean		√	√	✓
#	Anti-reflective		✓	√	√
	Super-hydrophobic			√	✓
+	Thinner than CR39				
	Freeform technology	√	√	√	√
	Filters blue light				✓



^{*} Diameters from 50mm to 80mm - dependent on prescription

- MY DESKTOP 1.3m
- MY OFFICE 2m
- MY MEETING 4m

^{*} Degression is dependent on the addition value and the working distance. See degression chart in the PRODUCTS section.

1.5 WIDEVIEW OCCUPATIONAL

Honeycomb with Hydro+

TECHNICAL INFORMATION

N	Refractive Index:	1.498
V	Abbe Value:	58
	Density:	1.32
	UV:	400

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Minimum fitting heights: Regular 18mm
 Short 14mm
- Fitting cross 2mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for rimless glazing
- Not suitable for driving
- Not suitable for tinting

LENS PROPERTIES

LENS	S PROPERTIES	Hydro+
A B C D E F	Optimum clarity	✓
	Scratch resistant	✓
	Easy clean	√
#	Anti-reflective	✓
•	Super-hydrophobic	✓
+	Thinner than CR39	
	Freeform technology	✓
	Filters blue light	



^{*} Diameters from 50mm to 80mm - dependent on prescription

- MY DESKTOP 1.3m
- MY OFFICE 2m
- MY MEETING 4m

^{*} Degression is dependent on the addition value and the working distance. See degression chart in the PRODUCTS section.

1.59 POLYCARBONATE WIDEVIEW OCCUPATIONAL

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.59
V	Abbe Value:	31
	Density:	1.20
	UV:	385 (Up to 460*)


IMPORTANT INFORMATION

- Up to 4.00D of prism available
- Minimum fitting heights: Regular 18mm Short 14mm
- Fitting cross 2mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for tinting
- Not suitable for driving





^{*} Diameters from 50mm to 80mm - dependent on prescription

- MY DESKTOP 1.3m
- MY OFFICE 2m
- MY MEETING 4m

^{*} Degression is dependent on the addition value and the working distance. See degression chart in the PRODUCTS section.

1.6 WIDEVIEW OCCUPATIONAL

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.6
V	Abbe Value:	42
	Density:	1.30
	UV:	400 (Up to 460*)


IMPORTANT INFORMATION

- Up to 4.00D of prism available
- Minimum fitting heights: Regular 18mm Short 14mm
- Fitting cross 2mm above HCL

DISPENSING RECOMMENDATIONS

Not suitable for driving

LEN	S PROPERTIES	Hardcoated	Infinity XT	Hydro+	Blue Shield
A B C D E F	Optimum clarity	√	√	√	√
	Scratch resistant	√	√	√	✓
	Easy clean		✓	√	√
#	Anti-reflective		√	√	✓
	Super-hydrophobic			√	√
+	Thinner than CR39	√	√	√	√
	Freeform technology	√	√	√	√
	Filters blue light				√



^{*} Diameters from 50mm to 80mm - dependent on prescription

- MY DESKTOP 1.3m
- · MY OFFICE 2m
- MY MEETING 4m

^{*} Degression is dependent on the addition value and the working distance. See degression chart in the PRODUCTS section.

1.6 WIDEVIEW OCCUPATIONAL

Honeycomb with Hydro+

TECHNICAL INFORMATION

N	Refractive Index:	1.6
V	Abbe Value:	42
	Density:	1.30
	UV:	400

IMPORTANT INFORMATION


- Up to 4.00D of prism available
- Minimum fitting heights: Regular 18mm
 Short 14mm
- Fitting cross 2mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for tinting
- Not suitable for driving

LENS PROPERTIES

LEN	S PROPERIIES	Hydro+
A B C D E F	Optimum clarity	√
	Scratch resistant	✓
	Easy clean	✓
#	Anti-reflective	√
	Super-hydrophobic	√
+	Thinner than CR39	√
	Freeform technology	✓
	Filters blue light	



^{*} Diameters from 50mm to 80mm - dependent on prescription

- MY DESKTOP 1.3m
- MY OFFICE 2m
- MY MEETING 4m

^{*} Degression is dependent on the addition value and the working distance. See degression chart in the PRODUCTS section.

1.67 WIDEVIEW OCCUPATIONAL

Hardcoated / Infinity XT / Hydro+ / Blue Shield

TECHNICAL INFORMATION

N	Refractive Index:	1.67
V	Abbe Value:	32
	Density:	1.35
	UV:	400 (Up to 460*)


IMPORTANT INFORMATION

- Up to 4.00D of prism available
- Minimum fitting heights: Regular 18mm Short 14mm
- Fitting cross 2mm above HCL

DISPENSING RECOMMENDATIONS

Not suitable for driving

S PROPERTIES	Hardcoated	Infinity XT	Hydro+	Blue Shield
Optimum clarity	√	√	√	✓
Scratch resistant	√	√	✓	√
Easy clean		√	√	✓
Anti-reflective		√	√	✓
Super-hydrophobic			√	√
Thinner than CR39	√	√	√	√
Freeform technology	√	√	√	√
Filters blue light				√
	Scratch resistant Easy clean Anti-reflective Super-hydrophobic Thinner than CR39 Freeform technology	Optimum clarity Scratch resistant Easy clean Anti-reflective Super-hydrophobic Thinner than CR39 Freeform technology	Optimum clarity Scratch resistant Easy clean Anti-reflective Super-hydrophobic Thinner than CR39 Freeform technology	Optimum clarity \checkmark \checkmark \checkmark Scratch resistant \checkmark \checkmark Easy clean \checkmark \checkmark Anti-reflective \checkmark Super-hydrophobic \checkmark Thinner than CR39 \checkmark \checkmark Freeform technology \checkmark \checkmark



^{*} Diameters from 50mm to 80mm - dependent on prescription

- MY DESKTOP 1.3m
- · MY OFFICE 2m
- MY MEETING 4m

^{*} Degression is dependent on the addition value and the working distance. See degression chart in the PRODUCTS section.

1.67 WIDEVIEW OCCUPATIONAL

Honeycomb with Hydro+

TECHNICAL INFORMATION

N	Refractive Index:	1.67
V	Abbe Value:	32
	Density:	1.35
	UV:	400


IMPORTANT INFORMATION

- Up to 4.00D of prism available
- · Minimum fitting heights: Regular 18mm Short 14mm
- Fitting cross 2mm above HCL

DISPENSING RECOMMENDATIONS

- Not suitable for tinting
- Not suitable for driving

LEN	S PROPERTIES	Hydro+
A B C D E F	Optimum clarity	√
	Scratch resistant	✓
	Easy clean	√
#	Anti-reflective	√
	Super-hydrophobic	✓
+	Thinner than CR39	√
	Freeform technology	√
	Filters blue light	



^{*} Diameters from 50mm to 80mm - dependent on prescription

- MY DESKTOP 1.3m
- · MY OFFICE 2m
- MY MEETING 4m

^{*} Degression is dependent on the addition value and the working distance. See degression chart in the PRODUCTS section.